

METHOD AND SYSTEM FOR IDENTIFYING A JURIDICAL PERSON**Field of Invention**

The present invention pertains to a method and a system for identifying a juridical person in order to provide said juridical person access to a service such as payment transaction, facility access transaction etc.

5

Background Art

In a GSM based payment system, a consumer can pay for a purchase using his/her GSM phone. The consumers phone bill is then debited the purchase amount.

Technical realisation of such payment system requires from the consumer nothing but an ordinary GSM telephone.

10

One of the weakest points of this implementation is the control of credit worthiness of the consumer. A consumer who has e.g. not paid his/her phonebill during the past half year is an unwanted entity in the payment scheme. Therefore, GSM based payment schemes have only been implemented for very small payment amounts so far, e.g. in soda machines. This to reduce the financial risks.

15

Advertisements nowadays are either non-targeted or then they are non-automised. Today advertising can be targeted and automated to varying degrees depending on the medium.

Mass media (TV, radio, print, outdoor) is not very targeted; delivering advertising messages to, at best, a collection of like-minded consumers.

Paper coupons can be used to drive purchases, yet are expensive to administer and tend to lead to "price-shoppers".

The Internet has opened up opportunities for better targeting and automation. For example, the on-line book retailer "amazon.com" uses past individual shopping behavior to provide recommendations based on what other people with similar shopping patterns have purchased. Such recommendations do however not provide individuals with specific offers that are not available to others and do not reach people shopping in the physical world.

In US Patent No. 5,590,197 there is disclosed a cyber wallet in the form of stored and protected account information, which may be "carried" on a tamper resistant portable electronic storage medium such as a smartcard, or stored on the customer's computer (or personal digital assistance, PCMCIA card, or the like) together with the browser/mosaic software, is provided to a customer for the purpose of making electronic payments from the possessor of the wallet to a merchant at a remote site on the Internet. Securing of the information contained in the wallet is provided by a public key file containing public keys to be used for encrypting the payment information into an authorisation ticket which is sent by the wallet to the merchant, and then

forwarded to the account servicer for decryption, the decryption key being in the form of a private key held only by the account servicer, and to which the merchant and other parties have no access. The public key file preferably contains a plurality of public keys selectable by an identifier associated with but not a part of the key itself, so that the account servicer can control, by having the merchant send an identifier to the wallet, the selection of uncompromised keys without anyone but the servicer having knowledge of which key is being selected. This solution is rather complicated.

Summary of the disclosed invention

The present invention relates to a method and a system for providing access to a service such as a payment access transaction, a facility access transaction, membership access, bonus or loyalty scheme access etc.

An aspect of the invention is to solve problems related to an automatic payment transaction through for example a mobile phone system such as the GSM or, or other telephone like communication device, further referred to as telephone device.

Another aspect of the present invention provides a door passage inlet, the door having no keypad or other physically accessing means from outside the facility.

Yet another aspect of the present invention is to make called telephone numbers decide which service is asked for among a plurality of services.

The aspects are accomplished through CLI-number recognition when establishing a call and not letting the call being received through off-hook detection by a called party.

A method for identifying a juridical person in order to provide said juridical person access to a provided service is thus set forth through the present invention. It comprises the retrieval of the CLI-number provided to a telephone device used by said juridical person. The CLI-number being part of the phone communication protocol and being retrieved at a service unit telephone device or a clearing unit telephone device, respectively, during a phone call connection trial without establishing the communication, whereby the call is refused at the service unit or the clearing unit, respectively, which are adapted to refuse a call. The service unit establishes a communication to a clearing unit which always decides if the received CLI-number has access to the service provided, thus providing the service if access is established.

In one embodiment of the invention the service is a payment transaction.

In another embodiment of the present invention the service is a facility access transaction.

One embodiment comprises that a service category called for is dependent on the telephone number dialed, i.e., the service, e.g. payment or facility access, depict is dependent on the dialed telephone number

5 A further embodiment comprises that a facility access does not have any physically accessible locking means from outside the facility for entering the facility. The service unit is attached inside the facility in another embodiment, thus preventing vandalizing. An inside attachment prevents a person from noticing the existence of means for entering the facility from the outside of it in one embodiment of the invention.

10 A still further embodiment comprises that the clearing unit checks if the received CLI-number is stored in a connected computer database. If so, looking for information corresponding to said CLI-number, and If the CLI-number is stored in the computer database and if the related information qualifies the user of that CLI-number to have access to the said service, the clearing unit sends an access confirmation to the service unit.

15 Yet another embodiment comprises that the user is notified to his/her telephone device of a service. A notification is, in one embodiment transmitted via an SMS message or the like from the service unit or the clearing unit, which thus comprise a GSM means or the like for transmission of the SMS.

Further the present invention sets forth a system for identifying a juridical person in order to provide said juridical person access to a provided service. It comprises:

20 a telephone device with a CLI-number, the device being allocated to said person, and said CLI-number being part of the phone communication protocol;

a service unit device and a clearing unit device, being connected to a computer database, which decides if the received CLI-number has access to the service provided, whereby at least one of them comprises a unit telephone device to be called by said person
25 with said telephone;

retrieval means at the service unit or the clearing unit for the CLI-number during a phone call connection trial, being adapted not to establish the, whereby a call is refused at the unit telephone device; and

said service unit providing the service if access is granted.

30 Further embodiments of the present invention are set forth through attached dependent claims, which include that the above system is able to perform embodiments of the method described above.

Brief Description of the Drawings

Henceforth reference is had to the accompanying drawings for a better understanding of the present invention with its provided examples and embodiments, wherein:

Fig. 1 illustrates a block diagram of an authorization system;

Fig. 2 illustrates a schematic exemplification of a specific application of an authorization system;

Fig. 3 illustrates a flow chart of a method for giving authorization regarding payment from a consumer to a retailer;

Fig. 4 illustrates a schematic exemplification of a specific application of a targeted automated advertisement system;

Fig. 5 illustrates a schematic block diagram of one embodiment of the present invention for the authentication and identification of a user to provide said user access to a specific service;

Fig. 6 illustrates a schematic block diagram of another embodiment of the present invention for the authentication and identification of a user to provide said user access to a specific service;

Fig. 7 illustrates a schematic block diagram of a further embodiment of the present invention authentication and identification of a user to provide said user access to a service;

Fig. 8 illustrates a schematic block diagram of yet another embodiment of the present invention for the authentication and identification of a user to provide said user access to a specific service;

Fig. 9 illustrates a schematic block diagram based on the embodiments according to Fig. 5 to Fig. 8 depicting a specific service in a payment system; and

Fig. 10 illustrates a schematic block diagram based on the embodiments in accordance with Fig. 5 to Fig. 8 and explains a specific service regarding a facility access system

Description of Preferred Embodiments

The attached Fig. 1 to Fig. 4 and the accompanying text of the present invention relate to the Swedish patent application 9902768-2 filed July 20, 1999.

In Fig 1, there is disclosed an authorization system 10. The system 10 comprises at least one source unit 12 and at least one destination unit $14_1, \dots, 14_n$. The system 10 can comprise, but not necessarily, a communication means 16 for communication between said source unit 12 and said destination units $14_1, \dots, 14_n$. Said system 10 also comprises an authorization unit 18 and communication means 20 for communication both between said

authorization unit 18 and said source unit 12 and said authorization unit 18 and said destination units $14_1, \dots, 14_n$. Said authorization unit 18 comprises a memory means 22, in which there is stored validity information about said at least one source unit 12. Said authorization unit 18 checks the validity information before a decision is made whether said source unit gets authorized to perform said specific task. Said memory means 22 can e.g. be in form of a data base 22. Said system 10 also comprises a clearing means 24 connected to said authorization unit 18. Said clearing means 24 ensures and/or executes any payment transaction between e.g. a consumer and a retailer with or without the usage of any middleman.

It is hereby pointed out that in this application the expression consumer means anyone who is paying and the expression retailer means anyone who is receiving money in a payment scheme.

Any of the said communication means 16, 20 can e.g. be optical or infra red communication links, electronic bus-system, or mobile communication means.

Any of the said mobile communication means can e.g. be microwave communication means, radio communication means, or based on the NMT, GSM, or WCDMA standard.

Any of the said communication means 16, 20 can also be telephone means, or be based on the Internet standard.

According to one embodiment, said source unit 12 is designated to a specific consumer and each destination unit $14_1, \dots, 14_n$ is a point of sale unit (P.O.S). Said system 10 comprises also a to said memory means 22 connected clearing means 24. In Embodiment one said validity information comprises the credibility of each consumer. Said authorization unit 18 uses the credibility of each consumer and payment data received from a point of sale unit $14_1, \dots, 14_n$ as a base for taking the decision whether payment is approved or not. When said payment is approved, said point of sale unit $14_1, \dots, 14_n$ delivers any kind of purchase proof for said retailer of interest and/or for said consumer. This purchase proof can e.g. be a cash ticket.

According to another embodiment, which is based on the previous embodiment, said system 10 comprises also an advertisement system 26 connected to said memory means 22. In Embodiment two said validity information comprises information about advertisement coupled financial benefits of each consumer. Said authorization unit 18 uses the information about advertisement coupled financial benefits of each consumer and purchase data received from a point of sale unit $14_1, \dots, 14_n$ as a base for taking the decision whether payment is

approved or not and whether a financial benefit has to be taken into account by the clearing means 24.

According to yet another embodiment, each of said source unit 12 is designated to a specific machine user and each destination unit 14₁, ..., 14_n is a single component in a specific machine. Said validity information comprises the state of each said component and data about each said machine user.

In Fig 2 there is disclosed a specific application of an authorization system.

It relates to a method of authorization in communication schemes in which a particular source communicates with a particular entity (destination) that is part of a distributed system. First a short explanation of the above terms.

The communication scheme:

This is a particular application where a certain communication between source and destination is wanted and which requires some kind of authorization.

Some examples of such distributed systems are:

- Electronic parking meters, paid using the driver's mobile phone
- A machine, in which e.g. every single component in the machine can be controlled in a remote way by one or different machine users.
- A remote (Internet/telephone/GSM) control system for electronic equipment in a building or more specifically a house (cf. the bluetooth communication standard)
- An electronic payment system
- A targeted publicity system
- Components, connected by an electronic bus system
- Vending machine, paid using the purchaser's mobile phone.

The physical information carrier for the communication can be of any kind:

telephone, all mobile communication systems (NMT, GSM, WCDAM, radio, microwave communications, infra red communications ...), optical communication links, the Internet, any kind of electronic (computer-) bus system,

In Fig 3 there is disclosed a flow chart of a method for giving authorization regarding payment from a consumer to a retailer. The method begins at block 40. Thereafter, at block 42, the method continues in that said consumer dials, e.g. using his/her GSM telephone, a payment identification, e.g. a specific GSM number, for a retailer of interest, wherein an authorization unit receives said payment identification for said retailer of interest and said consumers identification, e.g. by retrieving the consumer's GSM number and the specific GSM payment number from the consumer's telephone call without opening a telephone connection. The method

then continues at block 44 in that a point of sale unit for said retailer sends all payment data to said authorization unit. Thereafter, at block 46, a data base in said authorization unit checks the validity information regarding said consumer and said retailer of interest before a decision is made whether said payment authorization is provided. Thereafter, at block 48, if said payment authorization is provided, said point of sale unit delivers any kind of purchase proof for said retailer of interest and/or for said consumer. At block 50 the method is completed.

If said payment authorization is not provided, said authorization unit stops the method.

In Fig 4 there is disclosed a schematic exemplification of a specific application of a method for automated and targeted advertising in which a consumer 62 uses a financial benefit which is linked to an advertisement sent to him by the advertisement system 72. The advertisement system 72 is linked to an electronic payment system 74, e.g. the payment system as described above.

The method begins with step 50. The steps 50 to 60 are consecutive in time.

In step 50 an advertiser 64 asks the advertisement system 72 to send a specific advertisement message to a specific group of consumers and specifies a financial benefit coupled to the advertisement.

In step 52 the advertisement system's 72 data base 68, which e.g. uses earlier consumer purchase behavior stored in the electronic payment system database, is used to define the targeted group of consumers. The advertisement system 72 also logs in its database 68 which consumers are targeted for the advertisement message.

In step 54 the advertisement system's computing unit 66 receives the list of targeted consumers from its data base 68.

In step 56 the advertisement system 72 sends the specific advertisement messages to all of the targeted consumers.

In step 58 a targeted consumer 62 purchases a number of items, among which one or more items for which the consumer received an advertisement message. The consumer uses the electronic payment system 74 for the purchase.

During step 60, which is part of the clearing of the purchase in the electronic payment system 74, the electronic payment system retrieves the advertisement reduction fare information from the advertisement system 72 and takes the reduction automatically into account.

A specific realization of the system contains a GSM based payment system, the advertisement system provider is the same as the electronic system provider, the database 68

is the same as the memory means 22, and the advertisement messages are in the form of SMS messages.

Specifically the present invention provides a system for the authentication and identification of a user to provide said user access to a service. It is based on the retrieval of the so called CLI-number (clearing number), sometimes named A-number (calling party). The CLI-number is a number that is part of the phone communication protocol and which can be retrieved by the receiver of a telephone call without having to open the established call connection. Such a refusal of opening a telephone connection line is accomplished by adapting a destination telephone device, such as a modem, telephone, mobile phone etc. A telephone device can be adapted by activating a specific switch, or by programming the device.

The system comprises at least four sub-systems, which are the user, the service unit, the clearing unit and a computer database. Optionally it can include an additional identification unit or an additional computer database.

A user is any juridical person or any technological device that can send a telephone signal via an interface, for example, a GSM telephone or the like.

Said service unit has access to at least one processing unit and communication means with the clearing unit, such as a telephone modem. The service unit is the element that is providing a service response to a user. It can also comprise a keyboard or keypad for additional input of data such as PIN code. A place for a service unit to be situated could be a shop or any other place where a sale or money transfer is taking place.

The clearing unit comprises at least one processor unit. It can be situated, for example, at a bank or other financier facilities.

Said computer database and the additional computer database comprises at least information related to the provided service and to the users having access to the service. A possible additional identification unit can comprise means of biometric or electronic identification, e.g. fingerprint recognition or PIN-code recognition.

In an embodiment of the present invention illustrated in Fig. 5, the user 80 is calling a phone number, which corresponds to the phone number of a modem in the service unit 82.

The service unit 82, without establishing a communication, retrieves 84 the CLI-number of the user and refuses the call. The CLI-number is then transferred 86 to the clearing unit 88 by means of communication known in the art. Said clearing unit 88 checks if the received CLI-number is stored in the computer database 90 and if so, looking for 92 information corresponding to said CLI-number. If the CLI-number is stored in the computer

database and if the related information qualifies the user of that CLI-number to have access to the said service, the clearing unit sends an access confirmation 94 to the service unit 82 by means of communication known in the art. The service is then provided to the user by the service unit 82. The clearing unit 88 can optionally send information related to the service to the user, for example, confirmation of a successfully provided service by means of communication 96, for example, GSM telephone or the like by sending an SMS message (Short Messages Services) to the user or a print out if the service unit 82 comprises a printer.

Another embodiment of the present invention is illustrated in Fig. 6, based on the embodiment illustrated in Fig. 5 and being identical to the embodiment in accordance with Fig. 6, except that an additional identification unit 100 is added. The service is only provided if the service unit 82 receives the access confirmation 94 and if the user is identified 102, 104 by the additional identification unit 100.

In yet another embodiment illustrated in Fig. 7, the clearing unit 14 comprises at least one modem. The user 80 is calling a phone number which corresponds to the phone number of the modem of the clearing unit. The clearing unit 88, without establishing the communication, retrieves the CLI-number 106 of the calling device, whereby the clearing unit 88 checks if the received CLI-number is stored in the computer database 90 and if so, looking for information 92 corresponding to the said CLI-number. If the CLI-number is stored in the computer database 90 and if the related information qualifies the user of that CLI-number to have access to the said service, the clearing unit 88 sends an access confirmation 94 to the service unit 82 by said means of communication. A requested service is then provided to the user by the service unit 82. The clearing unit can optionally send 96 information related to the service to the user, for example, confirmation of a successfully provided service by means of communication such as a GSM telephone or the like. The service unit can optionally send 98 a print out of a receipt.

Still another embodiment of the present invention illustrated in Fig. 8, based on the embodiment according to Fig. 7 and being identical to it except for an additional identification unit 100 added. The service is only provided if the service unit 82 receives access confirmation 94 and if the user is identified 102, 104 by the additional identification unit 82.

A further embodiment of the present invention is based on any of the previous embodiments and illustrated in Fig. 9. In this embodiment one possible service is described more in detail. The present invention provides a service regarding a payment from one party, i.e., the user 80, to another third party 108, for example, a retailer. In this embodiment, the service unit 82 further includes means for receiving 110 the amount of money the user owes

to the third party 108, e.g. via a keyboard or via an electronic interface to a cash box. If the access confirmation 94 is delivered to the service unit 82 and if, optionally, the user is identified by the additional identification unit 108, the service unit 82 transfers 112 the amount of money the user owes to the third party 108 to the clearing unit 88 communication.

- 5 The clearing unit 88 stores 114 the amount of money in the computer database 90. The amount of money is then invoiced to the user 80.

A still further embodiment of the present invention is based on any of the previous embodiments and illustrated in Fig. 10. In this embodiment one possible service is described more in detail. The present invention provides a service regarding the access of the user 80 to a facility, for example, the present invention provides the key to access a protected room. If the access confirmation 94 is delivered to the service unit 82, the service unit 82 sends an unlock signal 116 to the locked door lock 118. Subsequently, the door is unlocked by known electrical or mechanical means and the user 12 has access to the facility. The present invention provides increased security compared to standard, physical keys. Firstly, as soon as the user loses his phone and the corresponding CLI-number, the CLI-number can be withdrawn from the access list to the facility and, secondly, the phone number the user has to call to in order to get access, can be kept secret. This means that, even if the user loses his phone, a burglar still does not have access to the facility without knowing the phone number to call. Furthermore, any mechanical, electrical or electronic means giving access to the facility on the outside of the facility, for example, keypads for code entries are not necessary anymore. The present inventions physical means can all be installed inside the facility to be entered, which reduces considerably the risk of destruction of the access means. The inside attachment also can prevent a person from noticing an alarmed facility.

Another embodiment of the present invention is based on embodiments in accordance with Fig. 5 to Fig. 8. In this embodiment one possible service is described more in detail. The present invention provides a service regarding the purchase of a ticket, for example, to access a cinema, a museum, a theatre, a train etc. In this embodiment, the phone number the user 80 is calling is related to the kind of ticket the user would like to purchase, for example, which movie the user 80 would like to see. The clearing unit 88 communicates by means of communication with the computer database 90 which contains the information of the availability of the ticket the user wishes to purchase. If the access confirmation 94 is delivered to the service unit 82 and if the clearing unit 88 retrieves the information from the computer database 90 that there is at least one ticket left to be purchased, and if, optionally, the user is identified by the additional identification unit 100 the clearing unit 88 stores the

prize of the ticket, which is related to the number the user 80 called in the computer database 90 in a field that corresponds to the retrieved CLI-number. The amount of money is then invoiced to the user 80, and the computer database 90 is updated to the number of tickets left to be purchased.

5 It is appreciated that the means mentioned above can be software means or a combination of software and hardware means known in the art per se, but not in the way they are used or provided in the present invention.

10 It should be understood that the invention is not restricted to the aforedescribed and illustrated exemplifying embodiments thereof, and that modifications can be made within the scope of the following Claims.

40031836-050902